253 POO	MENT DESCRIPTION		<u> </u>	REGISTRY
SOURCE: DATE OF DOCUMENT (NUMBER OF PAGE NUMBER OF ATT	(S): 2/ NES: Document		CONTROL N DATE DOCU LOGGED BY	UMBER: DMENT RECEIVED:
EFERRED TO	RECEIVED		RELEASED	SEEN BY
OFFICE	SIGNATURE	DATE TIME	DATE TIME	NAME & OFFICE SYMBOL DATE
	1			
	,			
•	Approval	_ Information	1	Signature
·	Action	_ Direct Rep	y	Return
	Comment	_ Preparation	of Reply	Dispatch
•	Concurrence			File
			,	
	BRS/	PODY A	•	
		July of	Valial	
· • .	, i			
			CL NE AU	DCUMENT NO. CHANGE IN CLASS. 12 DECLASSIFIED ASS. CHANGED TO: TS S C XT REVIEW DATE: 2010 TH: HR 70-2 TE: 6/6/80 REVIEWER:

RE-EXAMINATION OF THE SOVIET ICBM FRODUCTION AND DEPLOYMENT PROGRAM CONSIDERED IN NIE 11-5-58

(ORR CONTRIBUTION TO GMIC)

CIA/RR

(ORR Project No: 30.2431)

24 October 1958

CENTRAL INTILLIGENCE AGENCY Office of Research and Reports

TOP SECRET

RE-EXAMINATION OF THE SOVIET NOW EXCHUTETON AND DEFLOYMENT PROGRAM COMPLETED IN NIE 11-5-58

I. FINDINGS.

1. We have no conclusive evidence that a Soviet ICSM production program of the type estimated in NTE 11-5-58 is currently being accomplished. In light of our current collection capabilities, however, we cannot preclude the existence of such a program since it would still be in its preliminary phases and at a low level of activity. Furthermore, there is fragmentary, though inconclusive, evidence which is consistent with the timing of the estimated program.

2. The full impact of the estimated program would not be felt	
until late 1959 or early 1960 at which time the implied magnitude	
activity could hardly escape detection	
· · · · · · · · · · · · · · · · · · ·	

- 3. We believe that the establishment of an early initial operational capability is almost certainly a Soviet objective. This would provide the USSR with the opportunity to test deployment concepts and the compatibility of all major elements of the system, to acquire a training facility, and in addition to obtain at an early date a distinct psychological advantage, although extremely limited military capability. Therefore, we believe that if the necessary decision was made in the early part of 1957, the USSR could now have or be very close to attaining this capability.
- 4. The date of decision to initiate series production would have to precede the delivery of production missiles to operational sites by at least eighteen months. In the case of the earliest program consistent with NIE 11-5-58 (1.e., initial delivery of production ICBMs in early 1959), this decision would have to have been made before the firing of the first ICBM at Tyuratem. Although we believe this carliest program could be accomplished with difficulty and might even be going on without our knowledge, we consider it to be the least likely of the three programs considered.
- 5. Although the estimated programs are feasible, they would require large and closely integrated efforts in near-minimum time periods. Any unanticipated major problems, therefore, could result in significant alippage in the program schedules.

TOP SECRET



II. DISCUSSION

This report re-examines selected espects of the Soviet ICBM production and deployment program estimated in NUL 11-5-58. The discussion is presented in terms of the physical activities which should have occurred to date if the estimated program objective is to be met; the rate at which these activities should proceed in the future; the likelihood that evidence of these activities would be available, given current collection capabilities; and the evidence which has been received to date. A final section discusses some of the major decisions which the USSR would have to make in connection with this program and their implications.

The program selected for analysis is a two and one-half year production program which assumes that delivery of production ICAMs to completed leunching facilities would begin in mid-1959, with attainment of an operational capability with 500 ICHMs at the end of 1961.

These dates represent the mid-points of the time ranges given in NIE 11-5-58.*

A. Activities Which Should Have Occurred to Date.

estimate, activities should have occurred by now in many aspects of the program. We believe that pilot line production, familities should be completed and operating, series production facilities should be mearing completion, subcontractors and suppliers should be in production, launching facilities should be in process, and troop training should be under way.

1. Pilot Line Production Facilities.

Pilot line fabrication of research and development missiles, should have begun no later than early 1957, with fabrication of some components started during 1956. Following the initiation of the ICHM test flight program in August 1957 and incorporation into the missile of modifications indicated by the tests, R & D massile fabrication should have gradually increased. Schetime during 1958, fabrication of production prototypes of missiles and systems equipment should have

^{*} Although three alternative programs have been examined, the two programs representing the extremes of those work a will be discussed only to the extent that they differ significantly from the two and one-half year program. These programs are ourlined in more detail in the Appendix.

TOP SESRET

been started and should now be well under way. A logical schedule of this activity would call for the production of several procetype ICBMs a month at present. These would be intended for development test firings, space weblile adaptation, as well as delivery to ICC facilities.

2. Series Production Facilities.

of ICEMs should also be well advanced. The majority of activity under way would still be related to preparation for initial production rather than production itself. Because of the relatively high peak rates of missile production necessary to meet future production requirements, it is probable that two large and separate plants would have been selected early in the planning of the program for manufacture of the ICEM airframe, final assembly of the missile, and factory test and checkout. These facilities, each with two to three million square feet of floor space, should by now have been either newly constructed or converted from other production. In addition, extensive production and proof-testing facilities for the necessary engines and guidance components of the missile should be svallable now.

Production tooling at these plants should now be in the final stages of installation, with manufacture of the first production ICBM about to be started. The labor force required for each of the plants would be building up in sufficient quantity to provide for initial deliveries of production ICBMs from each installation beginning in about July 1959. With these preparations for quantity production approaching completion, there would be an increasing volume of activity between production facilities and both the R & D pilot line installation producing prototypes and perhaps a thousand or more major and minor subcontractor facilities.

3: Subcontracting Facilities.

By the present time, subcontractors for the manufacture of all parts of the ICBM system should have been designated, interim production drawings furnished them, and initial production and shipment of parts and components begun. These facilities would probably still be engaged in shifting personnel and resources, increasing their tooling and making other adaptations and final production errangements.

A rapid expansion of output would be required of these plants in order to provide the working inventory of parts and components needed to permit a smooth and uninterrupted build up of ICBM production which would be programmed for 1959.

4. Launching Facilities.

Concurrently with all of these production activities, at least a moderate level of activity associated with preparations for future ICEM deployment should now be under way. Both the level and nature of this activity would depend on whether the Soviet ICRM system has been designed for hard (underground) launching sites, soft (surface) sites, semi-mobile rail launching facilities, or some combination of these deployment concepts. If fixed, hard sites are contemplated, preparation of several such facilities, possibly in widespread locations, should now be well under way, with most of the sub-surface construction phases completed. Installation of the necessary wiring, plumbing, storage tanks, and other facilities and equipment for these sites would probably be scheduled to begin shortly. The initial construction work for a number of other sites should be about to begin and the planning and surveying of virtually all sites contemplated in the program should be nearing completion. If, on the other hand, the USSR has chosen to adopt a static soft site ICRM system, site construction would probably be somewhat less advanced at the present time, since the construction effort required would be substantially less than in the case of underground launching facilities. In the event that mobile, rail-mounted launching unit system has been adopted, the principal activity to date would probably have been the partial conversion and adaptation of one or more rolling stock plants in the USSR to the manufacture of special purpose rail cars or the modification of cars requiring installation of electronic or other specialized equipment. Production or modification of these special rail units should currently be under way.

In order to receive the maximum benefit from an IOC facility, in terms of testing the capability of a complete prototype system, acquisition of experience in the operation of the system, and the possibility of obtaining an important psychological (although extremely limited military) advantage, the USSR should now have

Assuming that major technical difficultiles have not been encountered, ICEM prototype production to date should have amounted to over 30 missiles. While some of these have already been fired, others are undoubtedly being prepared for test firing, and still others are probably being adapted for ESV or space flight purposes, the USSR should by now be in a position to allocate a small number of prototype missiles to an IOC program, some of which could have already reached a prototype launching facility.

5. Training Activities.

Preparation of operational launching facilities would be accompanied by a large-scale training program for military launching units, which should already have attained sizable proportions. Large numbers of officers and enlisted men should already be assembled at specialist schools, pilot line facilities, and other installations, probably including the Tyuratam test range, undergoing formal training in the wide variety of skills required for the operation of the Soviet TCEM system. Many of these personnel would probably have been transferred from other units experienced in the operation of shorter range missile systems. Training would also be under way at any operational sites which have already been completed.

B. Pace at Which Current Activities Should Proceed.

The activity which should already be under way in the early stages of all major aspects of the Soviet ICEM production and deployment program would have to be expanded very rapidly during 1959, reaching a peak rate in 1960.

1. Iritial Operational Capability.

By late 1958 or early 1959 at the latest, the IOC site should be completed and turned over to the military user if the USSR is to obtain the maximum benefit from such a facility. Following user acceptance, manning and equipping of the facility, an intensive program of training and operational testing of the ICEM system on site would begin. Depending upon the location of the site and the degree of security which the USSR wishes to maintain regarding it, live test firings with prototype missiles might be expected to occur as part of this initial operational training and testing program.

2. Production.

Throughout 1959, the scale and tempo of the ICEM production activity now under way should increase very sharply. By the end of the year, when the rate of production should have grown to about 10 ICEMs per month, the number of people directly or indirectly engaged in the ICEM production program would probably exceed 100,000. The number of production facilities directly involved to varying degrees would be in the hundreds and possibly over 1,000, with many of these facilities working multiple shifts. The total volume of activity would continue to increase until about mid-1960 and would be reflected by a rapid build up in the rate of ICEM production an the first few months of 1960 until peak production of over 30 missiles per month was achieved. Thereafter, the level of activity should remain fairly constant throughout the remainder of the program.

3. Proof Firing.

Sometime after mid-1959, there should occur the first of a regular and accelerating program of firing of production ICEMs, primarily for quality control purposes. These firings might take place at either Tyuratam or a training or IOC facility, and would probably continue throughout most of the remainder of the production program.

4. Deployment.

If the USSR has adopted a fixed, underground deployment concept, a sharp increase in activity relating to construction of launching facilities would occur, reaching a peak in late 1959 and early 1960. The expansion of this activity would roughly parallel the correspondingly sharp increase in production activity although preceding it by a few months. During the period of peak activity, probably 60,000 construction and installation workers would be directly engaged in ICEM site construction and preparation at about 35 separate and probably widespread locations. This activity would be accompanied by an extremely heavy flow of materials and equipment to these site locations. During late 1960 and throughout 1961, an average of well over two complexed launching sites per month would be turned over to the military user.

If a soft, surface configuration has been adopted for Soviet launching facilities, both the level and tempo of construction activity

would be much less than that required for construction of hard sites. Personnel, material and lead-time requirements would all be much smaller and, although the effort would still be sizable, even at peak rate probably less than 10 sites would be under construction at any given time. On the other hand, the activity associated with a semimobile rail system of deployment would take an entirely different form. By late 1959 and early 1960, an extensive program would be under way of construction of the railroad sidings or spurs which would serve as launching sites. These spurs would presumably be constructed in large numbers in order to increase the flexibility and decrease the vulnerability of the system. Simultaneously, production of a requirement of as many as 10-12,000 special purpose rail cars and locomotives would be in an advanced stage at one or more rolling stock plants. Most of these cars would be modified versions of standard railroad equipment and would represent only a small fraction of total Soviet output. The program's requirements for diesel switching locomotives and adapted and modified all-metal passenger cars of several kinds would amount to 50 percent or more of normal Soviet output of such equipment. There would also be an active program in process on installation of special equipment in rail cars intended for use in missile trains. During this period, there should be a steady increase in the number of guided missile trains moving into end within preselected launching areas, as well as a considerable volume of movement of special cars to and from factories and outfitting and supply centers.

5. Training.

Throughout 1959 and 1960, as the rate of completed missiles and sites increased rapidly, there would be a high and expanding level of training activities of many types. By 1960 probably well over 1,000 persons per month would be completing initial training, receiving assignments to operational units and taking over the operation of fully equipped, newly completed operational launching facilities.

6. Administration and Control.

The wide range of activity described above, all of which is essential to achievement of the Soviet ICEM capability by the end of 1961, would generate an exceptionally heavy and continuing flow of communications, travelers, materials, parts and equipment between

industrial facilities, launching site areas, military and administrative organizations, and the central authority controlling the entire program. The inspection and acceptance procedures associated with delivery to the military of completed missiles, equipment and launching sites would alone require a high level of activity from late 1959 or early 1960 throughout the remainder of the program. Moreover, the administrative requirements of a program of this complexity and urgency would almost certainly result in an unprecedented amount of detailed reporting on the status of the program and on problems being encountered from widely separated installations throughout the Soviet Union to the central authority, which would be attempting to exercise rigid control over all major aspects of the integrated program.

C. Collection Capabilities.

As yet there is no conclusive evidence that a Soviet ICEM production and deployment program of the magnitude described has actually been initiated or that any of the activity anticipated to date has in fact taken place.

If the program is	as estimated, we
should expect about 5 sites to be currently under const	ruction; by the
end of 1959 about 4 sites should have been completed as	
should be under construction.	

	TOP SECRET
	D. Current Evidence.
	The currently available evidence bearing on Soviet ICRM pro-
	duction and deployment consists primarily of fragmentary information
	on individual facilities and activities which indicate possible Soviet
	activity related to the pre-production phases of an ICBM program.
	There is limited information concerning a possible Soviet ICBM launching
	site, two possible prototype production facilities, and unidentified
	activity at several locations which might be associated with ICBM
	production. None of this evidence, however, is subject to interpreta-
	tion as conclusively indicating ICBM production or deployment activity.
	1. Leployment.
	Fragmentary data concerning unidentified activity
	in the Polar Urala region suggests that establishment of an ICBM
	launching site might be under way. The available information, however,
	reveals only that a military construction project of undetermined
	scope and character was under way in the latter part of 1957 and is
	probably still continuing.
-	
	Detail and
•	construction battalions have also been active in the area
1	Take arms seem suctive in the area (
ı	

TOP SECRET
2. Production.
Other information, similarly fragmentary in nature,
permits some inferences to be drawn with respect to the location of
two facilities possibly engaged in Soviet ICRM and space flight proto-
type production, as well as the possible timing of new programs at
these facilities in the past.

Similarly, it seems

probable that the construction of the Tyuratem range, which also began in mid-1955, would not have been undertaken without at least a planning concept of the wehicles, presumably including the ICEM, to be launched. The timing of these events suggests that important decisions regarding an ICEM development program had already been made by the USSR prior to mid-1955.

There is tenuous evidence that activity in some way related to the ICEM and/or space flight programs might be under way at several Soviet cities, including Sverdlovsk, Kazan and Kuybyshev. we cannot at present identify specific

facilities in these cities with guided missile activities of any kind, nor can we determine whether the flights have been occasioned by missile development activity, an emerging missile production program, or both.

Considerably firmer evidence exists linking the city of Dnepropetrovsk and the former Dnepropetrovsk Automotive Plant to ballistic missile production activity, probably as early as 1951. Although this plant may well be a major Soviet producer of ballistic missiles, the evidence available on the plant's activity and status during the past several years is inadequate to determine whether any of this activity has been specifically in support of an ICEM program.

At the present time we have no direct evidence indicating that tooling or initial production has begun at the numerous subcontractor structed.

facilities	or th	at final	assembly	plants	have	been	converted	or	con
									We
believe,		that	the almos	st compl	lete]	ack c	of conclus	ive	
evidence do	es not								8.
program of	the ma	gnitude	of the tr	no and c	ne-hs	lf ye	ar produc	tion	
program und	er con	siderati	on.						





E. Decisions Ruplied by the Program.

1. To Date

Even if it is assumed that the USER has encountered no major technical difficulties with its ICEM which would delay preparations for initiation of a quantity production program, accomplishment of the 500-missile program estimated for the end of 1961 might well be determined by the extent to which parts and components developed and tested at Kapustin Yar have been applied to the ICEM. A decision to rely heavily on equipment proven at Kapustin Yar could have been made as early as 1955 and would substantially reduce the difficulties that the USER would encounter in fulfilling the estimated production and deployment program within the limited time period of two and one-half years specified.

A Soviet decision to establish an early ICC based on a prototype ICBM system, if made in early 1957 prior to flight testing of the entire missile, as we believe likely, would suggest that the USSR was prepared to initiate quantity production of the system in the event that the initial demonstrations proved satisfactory. Since the primary purpose of the IOC would be to examine the elements of the ICEM program in operation as a system and to acquire early experience and training with the missile system which should subsequently be available in quantity, the USSR would desire that the IOC prototype reflect as closely as possible the weapon system which will ultimately be deployed. An early IOC decision, therefore, would signify a considerable degree of confidence in the missile and system as it existed at that time. Moreover, it would signify Soviet recognition of the system concept in its missile program, with parallel planning, production and deployment of all elements of the ICFW and the equipment and facilities associated with it.

The lead-time requirements of the 500-missile production program would be so stringent that the decision to go into large-scale production would have had to be made no later than about November 1957, after the successful launching of Sputnik II, if an estimated target date of mid-1959 for delivery of first production ICPMs was to be met. This decision in late 1957 would have involved the acceptance of the basic ICPM design, including selection of the mode of deployment, and would have set in motion the pre-production phases of the program.

The go-shead on tooling at a host of facilities would have had to begin shortly after the successful ICBM firing at the end of January 1958. Implicit in the initiation of tooling would have been a decision with respect to the maximum rate of output to be provided for. This rate would probably have been established at a high level, which could be revised downward at any time in the future, if desired. A decision to tool only for a level appreciably below the maximum anticipated production requirement would deprive the USSR of a considerable element of freedom of future choice, because expansion of output beyond the level provided for in the original tooling of the production facilities could not be accomplished rapidly.

Although it cannot be determined whether the USSR has actually made the decision to initiate large-scale ICBM production without the further improvements in the missile which might result from additional testing, such a decision would strongly imply that it is an important objective of Soviet policy to acquire a militarily significant number of ICBMs at the earliest possible date. It would also imply that this had been a Soviet objective for some time, since achievement of a program of the magnitude estimated would be dependent, as indicated above, upon a series of major decisions which would have had to be made during the past two to three years. The magnitude of the resources which would already be committed to this program and allocated to it over the next several years, together with the risks involved in the commitment to a missile system which may not be fully proven as yet, would provide an indication of the significance of an early and sizable ICBM capability to the USSR if such a large-scale production program is actually under way. There could also be little doubt that the Soviet leaders had clearly determined the role to be played by long-range missiles in future Soviet military strategy.

Another basic and extremely important element of a Soviet decision to initiate quantity production of ICEMs would have been the concurrent decisions with respect to civilian and other military production to be sacrificed as a result of the new demands of the ICEM program. Even if entirely new industrial facilities were constructed for the specific purpose of final assembly of ICEMs, the program would have to be supported by hundreds of other major and minor sub-contractors and

TOP SESRET

suppliers whose normal production activity would be disrupted to varying degrees by the requirements of this program. This entire range of decisions, moreover, would have had to be planned prior to the final decision, in late 1957 or early 1958, to initiate series production.

Because of the complexity of the ICEM production program and the number and diversity of industrial facilities which would have to participate in it, it is almost certain that these decisions would have been accompanied (or preceded) by the establishment of a single controlling authority in the USSR responsible for ICEM production. This action, in turn, would probably result in a transfer of all major and at least the principal minor contractors to the subordination of this central authority.

2. Future.

Having set in motion the vest and varied activities required from late 1959 on, the Soviet authorities would be confronted with two major identifiable areas in which there would be a continuing necessity for decisions throughout the progrem. One of these areas, in which exceedingly difficult decisions would have to be made repeatedly, would be whether and to what extent to modify the original goals of the program under way. These objectives would presumably be subjected to almost continual scrutiny and review in the light of any major problems encountered in the program itself, advances or delays in missile technology and in other veapons systems, changes in the Soviet view of U.S. capabilities and intentions, and continually changing internal and international conditions. Important new developments occurring during the course of the program would have to be considered by the Soviet leaders against their judgment of the relative advantage of continuing with a full-scale, top-speed program expected to result in a significant strategic capability before 1962; but with a weapon system conceived six or seven years earlier in a time of extraordinarily rapid technological progress.

The other major area of Soviet decision-making would arise in the day-to-day administration of the ICBM program. As production and delivery rates rise rapidly to a peak during 1960, it can be expected that a whole host of specific problems will arise, all requiring



immediate decisions because of the time pressures and close integration of the entire program. These problems would be concerned with modifications and changes of design, deliveries, shipments, funds, schedules, quality control, inspection, personnel, rejects, shortages and a wide variety of other facets of the program. It seems highly probable that the result would be the referral of problems to central authority for urgent decision at a rate without precedent in any prior Soviet military or civilian peacetime program.

By early 1960, the estimated Soviet ICBM production and deployment program should have reached proportions unparalleled in size and urgency by any previous post-war military program in the USSR. At least the initial activity associated with it would necessarily have a clear priority over virtually all other military or economic activities for critical resources, facilities, and skilled manpower. This would be particularly essential during the most difficult production period, in late 1959 and early 1960, when output of the entire system would have to be increasing very rapidly to maximum program rates, if the objective is to be met. Once this build up had been achieved and production at peak rates sustained, the problems encountered should begin to decrease in both importance and frequency. Nevertheless, despite provision in over-all Soviet production scheduling of allowances for contingencies and reserves, the estimated program appears so tightly compressed in time that any major production problems might delay the entire program.

3. Alternative Programs.

When the $2\frac{1}{2}$ year program discussed above is compared with programs which represent the extremes of the time spans estimated in NIE 11-5-58, it appears that the primary differences are in the degree of urgency involved and the timing of decisions. In order to begin deliveries of production KGMs as early as the beginning of 1959 (the earliest date consistent with NIE 11-5-58), the Soviet decision to accept the basic KGBM design and to initiate series production would have had to be made several months before the first KCBM test firing of August 1957. Although this earlier program could be accomplished with difficulty and might even be going on without our knowledge, we consider that such a program is the least likely of the three alternatives.

III. CONCLUSIONS

While recognizing the magnitude of economic effort required by the USSR to carry out such a program, we must reaffirm the conclusion of NIE 11-5-58 that the program lies within Soviet economic capabilities, provided the necessary major decisions were made early enough and the USSR considers the program of sufficient importance to assign to it the requisite priorities. It is virtually impossible to state that any given industrial program cannot be accomplished in a country possessing a large and varied industrial, material and population base such as that of the USSR. The ICBM program examined here, for example, would represent only a fraction of one percent of total Soviet economic activity. While it would unquestionably require a far larger share of the activity of certain key industrial sectors, and could account for as much as ten percent of Soviet military expanditures in 1960-61, the most difficult aspect of this program would probably be its pace and complexity, rather then its sheer economic magnitude. In our judgment, the USSR has the economic akills and resources to carry out this ICBM program, if it chooses to employ them for this purpose.

APPENDIX

Three alternative Soviet ICEM production and deployment programs have been examined which would result in the acquisition by the USSR of an operational capability with 500 ICEMs in 1961 or at the latest 1962. These are: first, a two-year production program which assumes a first operational capability with prototypes at the beginning of 1959 and attainment of 500 ICEMs by the beginning of 1961 -- the earliest dates consistent with NIE 11-5-58; second, a three-year production program which assumes a first operational capability with prototypes at the end of 1959 and attainment of 500 ICEMs by the end of 1962 -- the latest dates consistent with NIE 11-5-58; and third, a two and one-half year program which strikes a balance between these two extremes, with an initial operational capability with prototypes in mid-1959 and attainment of 500 ICEMs at the end of 1961 -- the mid-points of the ranges given in NIE 11-5-58.*

An attempt has been made (see Figures 3, 4 and 5) to distinguish between several major and distinct kinds of activity which would have to occur in parallel or sequentially, in order for the USSR to achieve any of the three programs being examined. These are:

(1) System Demonstration and Evaluation

Apart from the principally R & D flight testing, this activity includes engineering tests of production prototypes to determine physical properties of the system as well as its productibility and maintainability. It also includes, at some point, service and troop tests by the user to evaluate the military suitability of the system.

(2) Pre-production

Pre-production activity begins with the nominal freezing of the design of the ICBM and systems equipment, and includes all of the subsequent activity which must occur in order to prepare for mass

TOP SESET

There are, of course, many other possible alternatives such as an easumed very early initial operational capability coupled with a late attainment of 500 ICEMs, etc. The three programs chosen, however, are sufficient to illustrate the variations in kind and volume of activity required if a Soviet ICEM production and deployment program is proceeding as estimated in NIE 11-5-58.

production of the system. It includes such activity as preparation of production data, including facilities requirements, procurement specifications, and interim and final production drawings, for all parts and components; the adaptation, rearrangement and tooling of production facilities; and the fabrication of production prototypes of missiles and systems equipment. The prototype period begins with the design release that permits fabrication of ICBMs and systems equipment patterned after those expected to be produced in quantity, and ends with the delivery of the last prototype equipment. The tooling period begins with the design of the production tooling and ends when this tooling has been proven by the production of the first of many acceptable units.

(3) Froduction

Production includes all activity associated with the actual manufacture and final assembly of parts and components of the ICBM and system equipment for deployment to operational units. It has three distinct phases:

- (a) Start Up. The time from the beginning of manufacture of production tooling until delivery of the first production unit (excluding prototypes). It includes the lead-time for activating subcontractors, for building up the direct labor force in the prime and principal subcontractor facilities, and for building up a backlog of work in process to insure continuous increase in deliveries from first production to planned monthly rates of production.
- (b) Build Up. Elapsed time between the delivery of the first production unit and the achievement of the peak planned monthly rate of production. Production units are identical, or at least substantially so. Minor modifications that do not change performance levels may be made during production. Major modifications cannot be made without delays in the build up.
- (c) Frometion at Rate. Time between the achievement of the peak plenned monthly rate of production and delivery of the last production unit covering the initial requirements



for a given program.

(h) Deployment

This activity concerns placement in the field of the operational units (including training units) required for a given program. Preparation of launching sites includes site selection, surveying, and construction, installation of equipment, and delivery to the military user. Training includes off-site instruction of key individuals, cadres and teams, as well as on-site operational ICEM system training of troop units.

The accompanying charts and graphs illustrate the phasing through time of the various aspects of the three alternative ICBM programs selected for examination.

Figure 1 shows the cumulative delivery of the ICBMs to operational units required for each of the three programs.


Figure 2 shows the three curves as they would appear if each program were started at the same point in time (mid-1959).

Figures 3, 4 and 5 illustrate the time phasing of the principal categories of activity which would have to occur for each program to be achieved. The length of time shown for each type of activity is the minimum considered reasonable for programs of the scale being considered.

Figures 6, 7 and 8 present, for illustrative purposes, detailed scheduling by months of the production programs as they might develop over time to meet the indicated target dates. The numbers are not intended to be precise, but merely to suggest the rates at which activity would progress and the inter-relationships among activities.

TOP SECULI

Deliveries of 500 Missiles to Operational Sites As Determined by the Three Production Programs* (Figures are Cumulative)



quantities plotted are those occurring at the end of each time period.

NUMBER OF MISSILES Quantities plotted are t ・ 関係性 のでは、 ののでは、 の £65. those occurring at the end of each time period. CALSIDAR YSARS 19.1 THE CAME OF MANDERS OF SOME OF THE CAME OF

	1956							ioni		Prototypes		Demonstratio	Study & Devalogments	INAMAOTERAG ® TORVASKE	TEA.
	6 1957	converses grant	SITE CONSTRUCTION first	SKN 338C	Programme Section Sect	Bulldy	Starbup missiles 2 sources	ROLLOR	rooling aissiles 2 sources	erd ept equip	PREPRODUCTION	Demonstration & Evaluation	Commence of the commence of th	The second secon	NOTIONOBA, INERACTEMENT AS SESVER
TOP SECRET	1956 / 1959	flrst	1050	TROUBLE TO THE STREET OF THE S	Time at Kate Misulies (47/20)	atestles 2 sources	CO 5	## -F952	008		THE ACT OF THE PROPERTY OF THE			12773	EVELOPMENT, PRODUCTION AND DEPLOYMENT
	1960 1961	nununaanateruumen miisteinimen hiiteinimen kaiseen kaiseen kassa k	THE THE PROPERTY AND PROPERTY OF THE PROPERTY	AND ALL PROPERTY OF THE PROPERTY OF THE ALL PR	E GOLDON CONTRACTOR CO										Figure 3



THE PERSON

			Reflection and the second and the se				And the second s		A STATE OF THE STA						
1957		initiation ,					Bulldage		Starup (missiles	PRODUCTION	Louine ads pas		Frototypes (and ant equip	PREPRODUCTION	Description of Availablion
1958			first	Techning Techning	William Care	Time at Rate	James James	grd opt equip	e 2 sources		equip :	S S MANUFACTURE S S S S S S S S S S S S S S S S S S S			erande et in de ee een verke en de een verke en
1979	THE C					missiles (31/mo)	The first of the contract of t		SEE SETTLE STEEL ALL ALL ALL ALL ALL ALL ALL ALL ALL		The set to make the set of the se		The second contract of	Vide Standard in Vitable 2	
1960			lust		THE THE THE TABLE OF THE TABLE OF THE THE TABLE OF TABLE OF TABLE OF THE TABLE OF	o) 2 amerces	A PRINCE AND A								
1961															
1962*	Last	A CONTROL OF THE CONT				A BANG SAN		Para tradition of the control of the							
1963		を					23								

A STANSANT

ENTITIES OF THE PARTY OF THE PA

Figure 5

	Francy	•														b	Study & Development	RESEARCH & DEVELOPMENT
	1956									•					PRI	Demonstration & Evaluation	elopment	NT.
														Prototypes	PREPRODUCTION	& Evaluet:		
	1957	complektion	SITE CONSINUCTION first							Starbup missiles	MOLLOIMONA	Tooling < grd spt	pro)	pes missiles		lon [ACCOST. ACCOST, TERRATERION OF THE CONTRACTOR WAS ACCOST. WHEN CONTRACTOR OF THE CON	
LANGE 40	1958		CTION first	estran 3	Madria strakineza	DEST		Jul Live	· •	equip 2	· ·	drabe				A SALAN AND AND AND AND AND AND AND AND AND A		TOO GO TRIN
<u> </u>	1959			Tectical	Sajaraz	Deniograms	The st rese	grd spt equip	mines les	80317008		Dejan vico		NATIONAL PROPERTY OF THE PLANTAGE PROPERTY OF			AND A PROPERTY OF THE PROPERTY	u
	1960	first		de Colon Col			erd spr equip		es 2 schree	de carror				The state of the s	X		Salara de la constanta de la c	
	1961	A-RED-LOPH-RED-FETTEL/OD SEPTEMBRIE	last	A CARLO METALLA MANDENIA PER			2 BORNERS									PACTOR PRINCIPLES		
	1962	- COURT PARKET LINES AND STORES OF LIGHTLY AS EXPERIENT	TOTAL OF THE STATE	ATTENDED TO THE TOTAL TO THE TOTAL STATES AND PROPERTY OF THE TOTAL STATES AND THE TOTAL STAT	The state of the s		A THE CALL WAS A THE											
	1963	a last	až.	WATER AT THE TRANSPORT														

Other
Allocations Rid & Preproduction Prototype Mindles 2/ Flight Test Production Missiles Missile Deliveries to Total Missiles Produced Operational Missile Deliveries Program L/ to ICBN Site (our.) $\overline{\mathcal{L}}$ V.A R (u) Z \mathcal{H} X 4 4 7 Ç... 13 U 4 770 w KO 1 J. Q., 18 18 18 Po Į, 4 4 1 47 132 90 0 Production Buildup 1/2 1/2 نا 7 661 R. 173 Ū 37/64/01/ E3/E3/04/88/05/57/07/9/1/1/ 31/1/01 4 į. 11 MAMTT 30 25 7. 1 2 V 4 3 83 16 20 27 36 43 47 47 47 0 1/2 P 8. oc) ān لان Attainment of Peak Production
Rate 0 14 N ti 2) 23

(Sect to Beneather to total)

\$120 BES 5

2.5

Top sterri

Tillustration "applysan Residuation Residuation to Augules 500 Operational Tillus (100 et Beginning of 1959)

Popular de la constante de la	18/ W W Z 28/ W W W W W W W W W W W W W W W W W W W	1840	0 W D J	FMAMT	7 4 5	9
to 1054 Sites (cam.)	18 21 30 25 31 22 30 30 31 27 30 30 30 30 30 30 30 30 30 30 30 30 30	179259312875555-21	2 77 77 97 OF			
Total Mendlag Produccú (oma.)	./vo€/ le≲ /re≡	711,577 B/71,05455 42.400 BA 1850 1855 (1855)	7/0			
Missile Deliveries to	27 3 3 3 3 3 4 4 3	27 333 43484363636 36 36 36 36 36	363636			
Pyndustina Mingilea	1.4.66.14.16.24.46.14.1.4	24 CH C CH CH CH C		4		
RED & Preproduction Proboting Mandles 2/						
Other Allocattons 3/	7 5 9 3 9	9 9 9	9 9			
Frank Tost	80 20 70 10 10 10 10 10 10 10 10 10 10 10 10 10 1	19 19 19 19	82 62 62			
	tedame					
	Peak Production	1610m		· · ·		
						distriction
		, . :				
· 中村 一根						Tally to the same of the same

Figure 6 (Continued)

TOP STORET

1/Sites are completed, including crews and equipment, in the month that first missiles are delivered. The site would then have an immediate, limited operational capability and would be considered fully operational (able to fire a full salvo) two-three months after first ICBN

2/ Bacause component testing is assumed to have previously taken place at Kapustin Yar, the R & D missiles are assumed to be used for system

 $\frac{3}{2}$ This category allows for missiles allocated for static and laboratory tests, production slippage, other degradation missiles expended for training purposes. of all types and

 $\underline{\psi}/$ It is assumed that the flight test program will increase to satisfy oth development needs and to develop range and reliability data,

Illustrative Two and One-Half Year Production Program to Acouire 500 Operational ICERs (IOC at Fiddle of 1959)

Figure 7

	717 maxbot.		Transies Maciles 2/	Production Masiles		Missile Veliveries to	Total NISITES FROM	to ICH(Sites (Oun.)	Sites (Oum.) 1/ Missile Deliveries	Operational	
	ļ				.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			- jan	- marine parc	c	7
										77	\parallel
	-		1			***	<u>k</u> .			3	\prod
		- K	才				w			7	
			2				K			3 9 9	1
		4	4				<u>[</u>			4	100
	, JK		4			***	6 77		_ _	7	
	JZ	/	13				10	_		0	+
	J. K	//					10 13]
		<u> </u>					-		<u> </u>	マロリ	K .
			is.			***************************************	18 19 11			1	1)
							3			3	t/
	2									75	
		-	12				(i)			T K	19
		R.	- 				13 20 27 29 32	-		4	>4
			To .				K.	-	1	77	0.0
	_		(6) 				7			ហ	-
	82		167 179				<u> </u>	***************************************		٥	
	23		- <u> </u>				55 97 W W3 W9 37 35	 		<i>S</i> ¢	
	80		lu				242	1		4	\ \ !
	Ba	1-/	15				E/g		1	7	
	82 82 82 84 84	7/	1 T	1	SIR		<u> </u>	0.2		3	
, 54 04	Rs X	X	6,	+>	ZIE.			-}		4	
Star of Production Juildup	- JK		E		w		: 	47	-	7	10
dapi ottas so a				7	60	0	Ĭ	is is	82	14	75
\$.	8.	-		5			Š	11 182		∠	
	R	-	1	3	R	- 6	3 			S	
	وع	1	14	100	12	(2) (2) (6 (3) (7) (63		14 14	ω	0	
	م			-	7	100		16 20 25 30 35	1/2	A N	
	(~ %)	Ps.			G	à		25		14	
		(A)	ļ	12 16 20	10		31	36	36	N	
1	£7	1	1	19.	S	15	<u> </u>	<u> </u>	7	3	•

TOP SECRET

Illustrative Tyo and One-Ralf Year Production Program to Adquire 500 Operational ICBMs
(100 at Middle of 1959)

)						l										١.		1								٠.
	ध	V	NA	2	3	M 7 7	4	4	0	0	2	B	4	1	3	A	3	MAMTTASO	4	4	S	0	12	D Q N	14	F M	13
Operational Sites (Cum.) 1/	(U)	6.	7	9	1	è.	ప	111	18,	13	9 11 12 13 14 15 17 19 22 25 27 24 32 34 36 39 41 43 46 48 60	73	8	22.77	300	(3) 12	127	.e-	Co	*	\$	4.6	189	10/			
Missile Deliveries	80 Cy	3	33	150	w	2	106	129	15.	133	25 30 38 49 63 83/06/27 102/15/1/52/124/24/25/25 31333/35/386410842845/48411	E	12.5	The second	8	3/3	336	35%	188	4/05	1524 1524	12	4/3	<u> </u>		-{	
Total Missiles Produced	//3	12,	13)	178	12,	E.	13	307	<u> </u>	361	15 (31) 17 (44) 144 (44) 144 (74) 165 (74) 144 (44) 144 (45) 148 (88) 164 (17) 164 (14) 164 (14) 164 (14) 164 (14)	E	457	4/2/	11/2	066	31	\$	1/4/5	17.	1	132		1			1
Missile Deliveries to	Coy.	600	0.5	K	1/4	11 14 2023 23	Co	23	23	23.23	2323	K.,	X. (i)	23 23 23		li li	133 40	23 28 13 28 113 23 128	20	w	23	(a)	23 23	23	ļ	ļ	
Production Wissiles	P.S.	6.1	10 1	87	(0	20273/3/3/3/3/	Co	(0)	13	8	3/3/3/3/3/	3	3	3	(3)	3)	G	3/9/3/9/3/9/3/9/	18	6	(3)	a				ļ	1
Rad a Freyroduction Prototype Masties 2/	\dagger																									_	
Other	<u> </u>	(2) (2)	No.	SUK	N.	4	S	6	6	6-	6	100	8-	Tex-	8~	6	5	E	en.	5-	6	3-	e.	150			
Flight Test	Po	82 82	8	8 /6	8- Ja-	Ks.	No.	87	80	R	187	92	5	16	14	%	184	ابا دع	1	R	83	180	8	12	10		
			Pe	n k	Profit	Attainment of Peak Production	2	ET.																			

(Continued)

Illustrative Three Year Production Program
to Acquire 500 Operational ICBN//
(IOC at End of 1959)

Other 3/ Flight Test 11/ R&D & Preproduction 2/ Prototype Missiles Missiles Production To ICBM S tes Massile Deliveries Produced (Com.) Total Missiles To ICHM Si tes (Cum. Operational 1/ Sites (Cum.) Missile Deliveries TFM AIMIT w 7 مد 0 4 n Ø ≯ Ø X 22 22 12 TEMANTOA 27 2 Cu 2/2 923 923 15/12/14/14/14/14/1 w 1 d NO 2 K. FMAMT cu ω 82 3 K. 3 4 4 9 <u>ب</u> ک 0 Staft of Production Buildup <u>≥</u> 710 8

Pigure 8
(Continued)

Continued)

[Continued]

[Conti

Production Suildup	Star of	Flight Test 1/ Program	Allocations	Prototype Nissiles	R&D & Preproduction 2	Production Missiles	To ICMM Sites	Missile Deliveries	Produced (Cun.)	To ICHM Sites (Oun.	Sites (Cum.)	Operational 1/	
odubtio Buildup	~ ` >	R	1		×	*	·		-				
g S	Έ,	1	8			4	0		00	10 10 12 14 16 20 20 30 36 49 13 81 99 17 125 153 171 189 207825 218 24 1719 87 31			4
		82	1	-		4	25		2	3	- Co		FMAMT
	<i>.</i>	8	`	7		7	R.		79	- 12			4
1		2	`				R		100	1/2	12	-	,
	٠.	2 2 2	<u> </u>			9 7	2	1/4	111	80			1 1
		P s	الان			12 16 2025 25 25 25 25 25 25 25 25 25 25 25 25 2	5	7 J 7 2 M 4	23	8.5 G	4		
B9	Attainment of	22	82			2	o,		139	30	0	7	\$
Peak roduction	air	<u>. 67.</u>	16			0	31 21 31 21 31 41 11 3	N.	159	38	7	U	,
od	n	2	w			2	13	14.	120	75	M	0	
icti	2	<u> </u>	<u>*</u>		- 3	<u>2</u>	13	排	<u>g</u>	33	9	<i>y y</i> 0	$\exists I$
B			4	and the same of th		<u>5</u>	18	100	33	100	9 10 11 22 14 15 18 19 21 23 25 27 28 30 3	<i> </i>]]/
377			4			2.	17	21	3	19	18	تات	(1)
ni A	Ť	<u>د</u>	4	1 俊元		<u>در</u> اد	13		<u>z</u> '	7	13	3	Ш
• :	1	الم	4	1930 W S	\dashv	5 1—	N	13.	6 7 -	15	13	_ 3	41
		2 2 2 3 3 3 3	4		1	Company	100		<u>*</u>	100	5	MAMUU	
	1	3	u,			<u>ر</u>	12	Ş	<u> </u>	12	100	3	11.
	8	.	4		8	3	9	70	<u> </u>	20	8	17	13
3 Y.	1	ا فا	4	100	8	, ,	18	Ę	3	183	8	4	41
1 : -	1	<u>.</u>	9		18	4		7	Â	第	1 25	co	
	1	4	9		Z	•	18	70	2	126/	27		11
	8	.	4		1		18	18	<u></u>	279	2	0 7/	11
* * .	R	•	4	1.	6	,	10	834	\	197	30	A	V :
	9.		4		. 1 -	. 1	18	120	1	<u> </u>	82	4	ħ.
	見見えん	,	<u>~</u>		18.		3	43.5)	33	34	7	
٠.	100		4		23		12/2/2/2/2/2	104	<u> </u>	3/	80	3	1
	2		<u> </u>		2.		4	34		80	37	≥	
			<u>α</u>		13,		1	396	`	3	36	AMTT	
	2 2		4		0	·	4	13		65	*	4	79.62
	82				1:		<u> </u>	17		75.CZ	1/3		8
	82 9.	-	4		10		<u> </u>	1/2 /AE		<u>⊁</u>	12	4	
	۲		u		20 20 20 20 20 20 20 20 25 25	-+		133	76 8/ 86 93 AS 11/123139/159/154/209 154 PROP PROP PROP SOUTH OF THE PROPERTY SOUTH OF T	5,55 6 1 LA 607 MARCH 590 600 159 600 158 855 10	30 34 H 54 EH 14 66 LE 18 18 HE138	a	
	<u>-</u>	_	4	~	+=		7. 7.7	100		7	()	0	
	4	,	4		1		<u> </u>	130		<u> </u>	<u>a/</u>	A	1
	8		1		†	+	٣	1	-	ω.		1	į
					1	_	***************************************	1-	+			7 7	
								-	-			X	
								***************************************	L		-	1	